

**THOMPSON COBURN***Thompson Coburn LLP*  
*Attorneys at Law*One US Bank Plaza  
St. Louis, Missouri 63101-1693  
314-552-6000  
FAX 314-552-7000  
www.thompsoncoburn.com**OFFICIAL*****Facsimile*****FOR IMMEDIATE DELIVERY**

To	Firm Name	Phone	Fax
Examiner: Vy Q. Bui	US PATENT & TRADEMARK OFFICE	703-306-3420	703-872-9306
			RECEIVED
			CENTRAL FAX CENTER
			MAR 26 2004

**From:** Joseph M. Rolnicki**Date:** 03/26/2004**Message:****Atty/Client/Matter No.:** 3076/54084/02163**Total Number of Pages, including this page:** 3

If you do not receive all of the pages, please call 314-552-6286 as soon as possible.

Thank you,

Fax Department - Operator: Time of Transmittal: 2:18 A.M./P.M.**Confidentiality Note**

The information contained in this facsimile transmission is legally privileged and confidential information intended only for the use of the individual or entity named above. If the reader of this transmission is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this transmission is strictly prohibited. If you have received this transmission in error, please immediately notify us by collect telephone call and return the original transmission to us at the above address by U.S. mail. Thank you.


Attorney Docket No. 54084-2163

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

**CERTIFICATE OF FACSIMILE TRANSMISSION**

I hereby certify that this correspondence is being transmitted via facsimile to the Commissioner for Patents at (703) 872-9306 on March 26, 2004.

  
Joseph M. Rolnicki  
Reg. No. 32,653

In re application of:  
Tano, et al.

Serial No.: 09/761,915

Filed: January 17, 2001

For: Membrane Eraser  
(Reissue Tano Patent No. 5,921,998):

Examiner Vy Bui

Group Art Unit 3731

Commissioner for Patents  
Alexandria, VA 22313

**SUPPLEMENT TO AMENDMENT AFTER FINAL REJECTION**

The following supplements the Amendment After Final Rejection that was filed in the above-referenced patent application on January 16, 2004.